



Gas-Engine Series

Hot-Water Pressure Washers

#1 in North America for High-Pressure Cleaning Equipment

Oil Fired / Direct Drive



Heavy-duty regulator / rectifier eliminates the need for battery

Stainless-steel coil skin provides extra durability and resists corrosion

DC Oil-fired Beckett burner

Lifting eyes let power equipment do the hoisting

Heavy-duty roll-cage chassis protects internal components

Control box with adjustable temperature control lighted burner On/Off switch and hour meter

Powered by **Honda & Subaru** OHV Engines

POWERED by **HONDA**



Hotsy-designed triplex direct-drive pump carries a 7-year warranty

Upstream detergent injection

6-gallon, removable, rust-proof polyethylene fuel tank has fuel gauge in cap

12" heavy-duty pneumatic tires

Trigger gun control with cool-grip

50-ft wire-braided high pressure hose with swivels at both ends

Model 871SS:
Oil Fired, 2.7 GPM @ 2400 PSI



Heater coil carries a 5-year warranty



Model 965SS
3 GPM @ 3000 PSI;
Honda OHV GX270 gas engine;
12V DC water heater (Battery not required)



Model 1065SSE
3.5 GPM @ 3000 PSI;
Honda OHV GX340 electric-start gas engine;
12V DC water heater (12V Battery required, not supplied) Electric-start engines available on Honda models GX340 & GX390



FEATURES

- 2.7 to 3.8 GPM @ 2400 to 3500 PSI
- Oil Fired Heaters / Direct Drive Pumps
- 12Volt DC Burners
- Honda or Subaru Gas Engines (Electric-start engines available)

www.Hotsy.com

Nothing Cleans Like a Hotsy!

GAS ENGINE SERIES Hot-Water Gasoline Engine Models

■ Oil Fired Heaters

■ 2.7-3.8 GPM @ 2400-3500 PSI

■ Honda or Subaru Gas Engines (*Electric-start engines available*)

Designed for tough, industrial cleaning.

SPECIFICATIONS

DIRECT DRIVE

MODEL	GPM	PSI	ENGINE / MODEL	CC's	BURNER	BTU/HR	PUMP MODEL	DRIVE	PORTABILITY	DIMENSIONS	SHIP WT (lbs)
871SS*	2.7	2400	Subaru EX21	211	12V DC	248,500	HG3030G.1	Direct	Std	43"Lx27"Wx39"H	370
965SS*	3.0	3000	Honda GX270	270	12V DC	248,500	HG3035G.1.1	Direct	Std	47"Lx31"Wx41"H	450
1065SS*	3.5	3000	Honda GX340	389	12V DC	309,900	HS3540G.2	Direct	Std	47"Lx31"Wx45"H	495
1065SSE†	3.5	3000	Honda GX340	389	12V DC	309,900	HS3540G.2	Direct	Std	47"Lx31"Wx45"H	495
1075SSE†	3.8	3500	Honda GX340	389	12V DC	309,900	HS4040G.2	Direct	Std	47"Lx31"Wx45"H	500

* Battery not required † Battery required, but not supplied E= Electric-start engine



Clean better with Hotsy detergents

Hotsy pressure washers and parts washers clean best when matched with specially formulated Hotsy detergents. More than

40 liquids and powders meet every cleaning need imaginable. Nearly all contain Hotsy's exclusive advanced-formula HCC additives to help prevent scale build-up and to fight corrosion in your equipment. All Hotsy detergents are highly concentrated, so a little goes a long way.

Spend some time with a Hotsy Expert

Hotsy has more than 130 local distributors in North America, all factory-trained to properly evaluate your high-pressure cleaning needs.

Over 80% of Hotsy's distributors have been supporting Hotsy systems for more than 20 years.

This seasoned network of local application specialists will ensure you get the safest, most effective and most efficient cleaning solution to your specific cleaning need.



Distributed by:

Hotsy's upright burner design provides maximum efficiency for fast heating, easy venting in indoor applications, plus excellent fuel economy.

- Upright burner design
- Industry's best heat exchanger
- Easy service design, accessible components
- Hotsy designed & specified components

Hotsy Accessories customize your application for top performance



High-pressure turbo nozzles for faster cleaning

360° Pivot and non-pivot hose reels keep hose neatly stored and shop areas safe

Telescoping wands extend to 24' to reach high places without scaffolding



Heavy-duty, high-pressure hoses in lengths up to 150-ft.



Rotary surface cleaner attaches to your pressure washer; reduces overspray and zebra striping

hotsy Nothing Cleans Like a Hotsy!

Tel: (800) 525-1976 Fax: (888) 880-9631
 www.Hotsy.com email: info@Hotsy.com
 P/N 8.720-064.0 Effective 4/11 Specifications & product descriptions subject to change without notice. ©2011 Hotsy



NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We attempt to keep our machine performance within ± 5% of listed specifications.

Smart phone users scan this code to go the Hotsy website





Belt Drive Gas-Engine Series

Hot-Water Pressure Washers

#1 in North America for High-Pressure Cleaning Equipment

Oil Fired



Heater coil carries a 5-year warranty

Trigger gun control with cool-grip and variable pressure wand

Lifting eyes let power equipment do the hoisting

Heavy-duty roll-cage chassis protects internal components

Beckett DC Oil-fired burner

50-ft wire-braided high pressure hose with swivels at both ends



Hotsy-designed triplex belt-drive pump carries a 7-year warranty. Slower RPMs provide less wear and tear on the pump, and enables the pump to draw from water tanks.

Belt-drive pump - slower RPMs than a direct drive pump. Belt drive systems operate smoother, as the belts act as a dampener for vibrations and pressure spikes.

Model 965B: Oil Fired, 3.0 GPM @ 3000 PSI (Show with optional casters and wheel kit)

Hotsy Belt Drive Gas Engine models are versatile; convert the standard trailer mount unit into a portable unit with 2 wheels / 2 casters (above), a 4 wheel kit with pneumatic tires or a skid unit for moving by forklift.



Model 965B is Powered By Honda GX270 Engine

- 18 amp charging system
- High efficiency cooling & precision lubrication systems
- Easy-pull start

POWERED BY HONDA

Control box with adjustable temperature control lighted burner On/Off switch and hour meter

Downstream detergent injection

8-gallon, removable, fuel tank has fuel gauge in cap

FEATURES

- 3 to 4.6 GPM @ 3000 to 3500 PSI
- Oil Fired Heaters / Belt Drive Pumps
- 12Volt DC Burners
- Honda or Vanguard Gas Engines

www.Hotsy.com

Nothing Cleans Like a Hotsy!

GAS ENGINE SERIES Hot-Water, Belt Drive Gasoline Engine Models

■ Oil Fired Heaters

■ 3 - 4.6 GPM @ 3000-3500 PSI

■ Honda or Vanguard Gas Engines

Designed for tough, industrial cleaning.

SPECIFICATIONS

BELT DRIVE

MODEL	GPM	PSI	ENGINE / MODEL	CC's	BURNER	BTU'S	PUMP	PORTABILITY	COIL WRAP	HOSE	SHIP WT (lbs)
965B*	3.0	3000	Honda GX270	270	12V DC	248,500	Hotsy HD3030L.1	Optional	Painted	50'	625
1075BE†	3.8	3500	Honda GX390	389	12V DC	385,800	Hotsy HM4035L.2	Optional	Painted	50'	665
1080BE†	4.6	3500	Briggs VAN 16	479	12V DC	385,800	Hotsy HM4035L.2	Optional	Painted	50'	665

*Battery not required † Battery required, but not supplied E= Electric-start engine B= Belt Drive
Dimensions for all models 42"Lx27.5"Wx39"H (without wheel options)



Clean better with Hotsy detergents

Hotsy pressure washers clean best when matched with our specially-formulated Hotsy detergents. Nearly all 40 Hotsy detergent formulations contain Hotsy's

exclusive advanced-formula HCC additives to help prevent scale build-up and fight corrosion in your equipment. All Hotsy detergents are highly concentrated, so a little goes a long way.

Spend some time with a Hotsy Expert

Hotsy has more than 130 local distributors in North America, all factory-trained to properly evaluate your high-pressure cleaning needs.

Over 80% of Hotsy's distributors have been supporting Hotsy systems for more than 20 years.

This seasoned network of local application specialists will ensure you get the safest, most effective and most efficient cleaning solution to your specific cleaning need.



Distributed by:

Model 1075BE

3.8 GPM @ 3500 PSI;
GX390 Honda gas engine (shown with optional caster kit)



Model 1080BE

4.6 GPM @ 3500 PSI;
Briggs Vanguard gas engine (shown with optional stainless steel coil wrap and skid rails)



OPTIONS

- Pneumatic Tire Kit*
- 2 Wheel / 2 Caster Kit**
- Skid Rails†
- High Pressure Chemical Kit
- Trailer Mount brackets
- Float Tank
- Stainless Steel Coil Wrap
- Detergent Kit

*4 wheel kit with handle - adds 10" to width, 6" to height

** 2 wheel / 2 Caster kit - adds 7.5" to height

† Skids - adds 3.875" to height

Hotsy Accessories customize your application for top performance



360° Pivot and non-pivot hose reels keep hose neatly stored and shop areas safe



High-pressure turbo nozzles for faster cleaning

Telescoping wands extend to 24' to reach high places without scaffolding



Heavy-duty, high-pressure hoses in lengths up to 150-ft.



Rotary surface cleaner attaches to your pressure washer; reduces overspray and zebra striping

hotsy Nothing Cleans Like a Hotsy!

Tel: (800) 525-1976 Fax: (888) 880-9631
www.Hotsy.com email: info@Hotsy.com
P/N 9.800-920.0 Effective 5/11 specifications & product descriptions subject to change without notice. ©2011 Hotsy



NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We attempt to keep our machine performance within ± 5% of listed specifications.